

**In the Claims:**

1-118. (Previously canceled).

119. (Currently amended) An isolated polypeptide having at least 80% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 408 shown in Figure 290 (~~SEQ ID NO: 408~~);
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 408 shown in Figure 290 (~~SEQ ID NO: 408~~); lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 408 shown in Figure 290 (~~SEQ ID NO: 408~~);
- (d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 290 (SEQ ID NO: 408); lacking its associated signal peptide; or~~
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203155;  
wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumors.

120. (Currently amended) The isolated polypeptide of Claim 119 having at least 85% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 408 shown in Figure 290 (~~SEQ ID NO: 408~~);
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 408 shown in Figure 290 (~~SEQ ID NO: 408~~); lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain the polypeptide of SEQ ID NO: 408 shown in Figure 290 (~~SEQ ID NO: 408~~);
- (d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 290 (SEQ ID NO: 408); lacking its associated signal peptide; or~~
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203155;  
wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumors.

121. (Currently amended) The isolated polypeptide of Claim 119 having at least 90% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 408 ~~shown in Figure 290 (SEQ ID NO: 408);~~
  - (b) the amino acid sequence of the polypeptide of SEQ ID NO: 408 ~~shown in Figure 290 (SEQ ID NO: 408);~~ lacking its associated signal peptide;
  - (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 408 ~~shown in Figure 290 (SEQ ID NO: 408);~~
  - (d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 290 (SEQ ID NO: 408); lacking its associated signal peptide; or~~
  - (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203155;  
wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumors.
122. (Currently amended) The isolated polypeptide of Claim 119 having at least 95% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 408 ~~shown in Figure 290 (SEQ ID NO: 408);~~
  - (b) the amino acid sequence of the polypeptide of SEQ ID NO: 408 ~~shown in Figure 290 (SEQ ID NO: 408);~~ lacking its associated signal peptide;
  - (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 408 ~~shown in Figure 290 (SEQ ID NO: 408);~~
  - (d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 290 (SEQ ID NO: 408); lacking its associated signal peptide; or~~
  - (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203155;  
wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumors.
123. (New) The isolated polypeptide of Claim 119 having at least 99% amino acid sequence identity to:

- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 408 shown in Figure 290 ~~(SEQ ID NO: 408)~~;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 408 shown in Figure 290 ~~(SEQ ID NO: 408)~~; lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 408 shown in Figure 290 ~~(SEQ ID NO: 408)~~;
- (d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 290 (SEQ ID NO: 408); lacking its associated signal peptide; or~~
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203155;  
wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumors.

124. (Presently amended) An isolated polypeptide comprising:

- (a) the amino acid sequence of the polypeptide of SEQ ID NO: 408 shown in Figure 290 ~~(SEQ ID NO: 408)~~;
- (b) the amino acid sequence of the polypeptide of SEQ ID NO: 408 shown in Figure 290 ~~(SEQ ID NO: 408)~~, lacking its associated signal peptide;
- (c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 408 shown in Figure 290 ~~(SEQ ID NO: 408)~~; or
- (d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 290 (SEQ ID NO: 408); lacking its associated signal peptide; or~~
- (e) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203155;  
wherein the nucleic acid encoding said polypeptide is amplified in lung or colon tumors.

125. (Previously added) The isolated polypeptide of Claim 124 comprising the amino acid sequence of the polypeptide of SEQ ID NO: 408 shown in Figure 290 ~~(SEQ ID NO: 408)~~.

126. (Previously added) The isolated polypeptide of Claim 124 comprising the amino acid sequence of the polypeptide of SEQ ID NO: 408 ~~shown in Figure 290 (SEQ ID NO: 408)~~, lacking its associated signal peptide.
127. (Previously added) The isolated polypeptide of Claim 124 comprising the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO: 408 ~~shown in Figure 290 (SEQ ID NO: 408)~~.
128. Canceled.
129. (Previously added) The isolated polypeptide of Claim 124 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203155.
130. (Presently amended) A chimeric polypeptide comprising a polypeptide according to Claim 124 ~~119~~ fused to a heterologous polypeptide.
131. (Previously added) The chimeric polypeptide of Claim 130, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.